



Addendum #2
Issue Date: 06/28/17

Newport News Redevelopment & Housing Authority
Division of Purchasing
227 27th Street P.O. Box 797
Newport News, VA 23607
Phone: (757) 928-2623 Fax: (757) 245-2144
<http://www.nnrha.com>

Invitation for Bid
IFB #ARS&GR-17-17
June 19, 2017

Aqueduct Roofs, Soffit & Gutter Repairs
Bid Due Date: NO CHANGE

Request for Bid, subject to the conditions and instructions contained herein, will be received at the above office until the date and hour shown (local prevail time) for furnishing the items or services described in the Request for Bid.

It is agreed and understood that this page will constitute addendum #2, and shall be made part of the IFB document. This document must be signed and returned with the Bid.

Addendum #2 Changes:

2.1 SCOPE OF WORK:

Freeze Boards:

- All freeze boards are to be replaced using 5/4 inch boards. Width to match existing (to be field confirmed by prospective bidders). The boards are to be pre-primed or may be primed in the field using Kilz or an acceptable alternative. Any and all cuts are to be field primed. Secure the new freeze boards using appropriate nails or screws. The finished product is to be wrapped in aluminum.
- As an alternative, PVC boards may be used.
- The freeze boards are located on the brick facades. The areas of stucco (EIFS) finish do not have wood freeze boards. However any damage to the "stucco freeze board" will be repaired at no additional contract cost

Procurement Officer: _____

Donald J. Rhodes, Procurement Officer, drhodes@nnrha.org

Company Name: _____

Print Name: _____ Title: _____

Signature: _____ Date: _____